ELSEVIER

AUTHOR INDEX

A

Abd El-Bary TH. *See* Beristain X
Abdelkader AM. *See* Couillard P
Abe H. *See* Kuroda S
Abe T, Matsumoto K, Kiyota K, Tanaka H. Vein of Galen aneurysmal malformation in an adult: a case report, 39-cd
Akioka T. *See* Fukuhara T
Albright L. Tuberculoma of the hypothalamic region as a rare case of hypopituitarism: a case report, 350-com
Alexander E Jr
  The first primary brain tumor operation in America, 466-com
  A Miracle and a Privilege: Recounting a Half Century of Surgical Advance, 205-br
  Philosophy of Neurological Surgery, 93-br
  Octogenarian pearls, 587-ed
  Too many neurosurgeons?, 108-ed
Alleyne CH Jr, Bakay RAE, Costigan D, Thomas B, Joseph GJ. Intracranial adenoid cystic carcinoma: case report and review of the literature, 265-cd
Alperin N, Mafee MF. Magnetic resonance imaging of human brain function, 391-com
Alves de Sousa A. Dissecting aneurysm of the anterior cerebral artery causing hemorrhagic infarction, 29-com
Alves de Sousa A, Rolemberg Dantas FL, Pereira Gomes Neto A, Teles Cardoso Carvalho G. Giant posterior cerebral artery aneurysm in a 4-year-old child: case report, 31-cd
Amagasa M, Kawase M, Sato S, Yuda F. Spinal malignant lymphoma appearing after radiation and chemotherapy of a pineal region tumor, 167-cd
Aoki J. *See* Nagasawa S
Apfelbaum RI. *See* Palmer CA
Asai T, Kataoka K, Uejima T, Sakata I, Taneda M. Traumatic laceration of the intracranial vertebral artery causing fatal subarachnoid hemorrhage: case report, 566-cd
Asari S. *See* Fukuhara T
Ausman DC. *Vandals at the Gates of Medicine,* 303-br
Ausman JI
  Are there too many neurosurgeons?, 200-ed
  Editor's note, 68, 87, 167, 299, 497
  Extruded cervical disc, 512-cd
  The first interim meeting of the European Society for Paediatric Neurosurgery. March 19–24, 1995; Eliat, Israel, 585
  Giant aneurysm in the cavernous sinus causing subarachnoid hemorrhage 13 years after detection: a case report, 146-com
  In this issue, 1-ed, 101-ed, 209-ed, 313-ed, 405-ed, 511-ed
  Is how you look important?, 490-rc
  Is there a disease afflicting neurosurgeons worldwide?, 91-ed
  Operative Neurosurgical Techniques, Vol. 1 & 2, 593-br
  Retirement: what to do?, 495-ed, 583-ed, 584-ed
  See Beristain X
  Stop complaining and do something constructive!, 399
Awad IA. *See* Gewirtz RJ
Aydin F. *See* Topsakal C
Aydin Y. *See* Topsakal C

B

Badie B. Cosmetic reconstruction of temporal defect following pterional craniotomy, 383
Bakay RAE. *See* Alleyne CH Jr
Baskaya MK. *See* Suzuki Y
Baskin DS. *See* Rumana CS
Basso AJA. Primary benign tumors of the orbital cavity: comparative data in a series of patients with optic nerve glioma, sheath meningioma, or neurinoma, 153-com
Bauer BL. *See* Hellwig D
Bauer BL, Hellwig D. Management outcome in third ventricular colloid cysts in a defined population: a series of 40 patients treated mainly by transcallosal microsurgery, 13-com
Beauregard H. *See* Massoud F
Beristain X. *Essentials of Neural Science and Behavior,* 206-br
Beristain X, Gaviria M, Dujovny M, Abd El-Bary TH, Stark JL, Ausman JI. Evaluation of outcome after intracranial aneurysm surgery: the neuropsychiatric approach, 422
Bernstein M, Cabantog AM, Glen J, Stiver S, Mikulis D. Tirilazad does not protect rat brain from brachytherapy-induced injury, 482
Biggs PJ. *See* Parker KM
Bilge T. *See* Topsakal C
Black KL. Extracerebral cavernous angiomas of the cavernous sinus in the middle fossa, 132-com
Black PM. Preoperative MRI diagnosis of Lhermitte-Duclos disease: case report with associated enlarged vessel and syrinx, 475-com
Bowman R. *See* Shapiro S
Bristot R. *See* Delfini R
Brock M. Clinical controversy, 407
Brotchi J. MRI of spinal cord radiation necrosis simulating recurrent cervical cord astrocytoma and syringomyelia, 365-com

© 1996 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0090-3019/96/$15.00
PII S0090-3019(96)00178-X

Bruce JN, Stein BM. Spinal malignant lymphoma appearing after radiation and chemotherapy of a pineal region tumor, 169-com

C

Cabantog AM. *See* Bernstein M
Callahan J. *See* Shapiro S
Cantore G. *See* Delfini R
Carey ME. Arachnoid cysts in adults: experience with internal shunts to the subdural compartment, 23-com
Carson B. The physician's role in curing social ills, 497-ed
Caspar W. Extruded cervical disc, 514-cd
Cezayirli RC. *See* Parker KM
Charbel FT. American Association of Neurological Surgeons annual meeting, April 1995; Orlando, Florida, 197
Chason JL. Central neurocytoma: clinical, immunohistologic, and biologic findings of a human neuroglial progenitor tumor, 56-com
Chiba Y. *See* Koike Y
Chou SN. Microsurgical removal of an intraventricular meningioma with ultrasound guidance, and balloon dilation of operative corridors: case report and technical note, 160-com
Christensen JC. Retirement: what to do?, 584-ed
Ciappetta P. *See* Delfini R
Ciric I
  Aspergillosis of the sphenoid sinus: presentation as a pituitary mass and postoperative gallium-67 imaging, 358-com
  Unusual presentation of a pituitary abcess, 353-com
Cohen AR. Endoscopic treatment of septated chronic subdural hematoma, 277-com
Cole HO
  Perspectives on a neurosurgical practice, 301-ed
  Preoperative embolization of meningiomas fed by opthalmic branch arteries, 166-com
Colosimo C. *See* Puca A
Copeland B. *See* Sobel DF
Costigan D. *See* Alleyne CH Jr
Couillard P, Karmi MZ, Abdelkader AM. Microsurgical removal of an intraventricular meningioma with ultrasound guidance, and balloon dilation of operative corridors: case report and technical note, 155-cd
Crowell RM. *See* Ogilvy CS
Csécsei GI
  Approaches to MCA aneurysms, 591-le
  On the past of Hungarian neurosurgery and its present state: a typical East European story(?), 84

D

Dalessio D. *See* Sobel DF
Danoff D
  Arachnoid cysts in adults: experience with internal shunts to the subdural compartment, 23-com
  Central neurocytoma: clinical, immunohistologic, and biologic findings of a human neuroglial progenitor tumor, 56-com
  Too many neurosurgeons?, 103-ed
Das BS. *See* Indira B
Day AL. False localization of rupture by computed tomography in bilateral internal carotid artery aneurysms, 440-com
Dayel F. *See* Sheikh BY
de Almeida GM. The overproduction of neurosurgeons jeopardizes future neurosurgical care, 315-com
Debrun G
  Dural arteriovenous fistulas of superior sagittal sinus: case report and review of literature, 254-com
  Preoperative embolization of meningiomas fed by opthalmic branch arteries, 166-com
  Spinal giant intradural perimedullary arteriovenous fistula: clinical and neuroradiological study in one case with review of literature, 532-com
de Crespigny A. *See* Moseley ME
Delfini R, Di Lorenzo N, Ciapetta P, Bristot R, Cantore G. Surgical treatment of thoracic disc herniation: a reappraisal of Larson's lateral extracavitary approach, 517
Delfini R, Missori P, Tarantino R, Ciappetta P, Cantore G. Primary benign tumors of the orbital cavity: comparative data in a series of patients with optic nerve glioma, sheath meningioma, or neurinoma, 147
Delibalta N. *See* Topsakal C
de Villiers JC. The overproduction of neurosurgeons jeopardizes future neurosurgical care, 319-com
Di Lorenzo N. *See* Delfini R
Di Rocco C
  Craniofacial Anomalies: Growth and Development from a Surgical Perspective, 402-br
  Meningioma in children: a report of nine cases and review of the literature, 334-com
Dobben G. Magnetic resonance imaging of human brain function, 391-com
Dorsch N. Very poor prognosis in cases with extravasation of the contrast medium during angiography, 564-com
Dowd CF
  Dural arteriovenous fistulas of superior sagittal sinus: case report and review of literature, 254-com
  Giant aneurysms of the anterior Circle of Willis: management outcome of open microsurgical treatment, 420- com
Dujovny M
  See Beristain X
  See Goldberg A
  See Misra M
  See Samii A

E

Eckersley R. The West's deepening cultural crisis, 394-ed
Endo S. *See* Hamada H
Enomoto K. *See* Nagashima C

F

Fabi RA. Cosmetic reconstruction of temporal defect following pterional craniotomy, 384-com
Fager CA. Extruded cervical disc, 512-cd
Fernandez E. *See* Puca A
Ferreira NP. The fiberoptic intraparenchymal cerebral pressure monitor in 244 patients, 282-com

Feuer H. Cerebrospinal fluid pseudocyst after anterior stabilization for cervical spine injury treated by ventricular drainage: case report, 295-com
Fink LH. Unintended "incidental" durotomy, 590-ed
Foroglou G. The overproduction of neurosurgeons jeopardizes future neurosurgical care, 319-com
French LA. Too many neurosurgeons?, 104-ed
Frohman LA. *The Pituitary Gland, 2nd Ed.,* 403-br
Fujimura M, Tominaga T, Koshu K, Shimizu H, Yoshimoto T. Cine-mode magnetic resonance imaging of a thoracic intradural arachnoid cyst: a case report, 533-cd
Fujita T. *See* Nakagawa H
Fukuda O. *See* Hamada H
Fukuhara T, Gotoh M, Asari S, Ohmoto T, Akioka T. The relationship between brain surface elastance and brain reexpansion after evacuation of chronic subdural hematoma, 570
Fukui M
  Indirect revascularization for Moyamoya disease: is there a beneficial effect for adult patients?, 549-com
  See Morioka T
  See Suzuki S
Fukushima Y. *See* Sato M

G

Gaviria M. *See* Beristain X
Gawlowski J. *See* Grote EH
George B. Contralateral external carotid-to-external carotid artery (half-collar) saphenous vein graft for common carotid artery occlusion, 141-com
Gewirtz RJ, Awad IA. Giant aneurysms of the anterior Circle of Willis: management outcome of open microsurgical treatment, 409
Ginsberg LE
  Neuroimaging studies of postobliteration nidus changes in cerebral arteriovenous malformations treated by gamma knife radiosurgery, 121-com
  Preoperative MRI diagnosis of Lhermitte-Duclos disease: case report with associated enlarged vessel and syrinx, 475-com
Glazier SS. *See* Suzuki Y
Glen J. *See* Bernstein M
Goldberg A, Dujovny M
  Advances in Radiosurgery, 94-br
  Minimally Invasive Neurosurgery II (Acta Neurochirurgica Supplement 61), 507-br
  The Shunt Book, 206-br
Goldfarb RP. Too many neurosurgeons?, 102-ed
Goldsmith HS
  The first international congress of omentum in CNS, 87
  Omental transplantation using a superficial temporal artery previously used for encephaloduroarteriosynangiosis, 558-com
Gomez-Aviña A. *See* Soto-Hernandez JL
Gonzalvo A. *See* Phuphanich S
Goodman JM. Intrasellar abcess following transsphenoidal surgery, 188-com
Gotoh M. *See* Fukuhara T
Grigoryan YA. Clinical controversy, 408
Grote EH, Gawlowski J. Surgical treatment of thoracic disc herniation: reappraisal of Larson's lateral extracavitary approach, 522-com

H

Haase J. Omental transplantation using a superficial temporal artery previously used for encephaloduroarteriosynangiosis, 558-com
Hamada H, Endo S, Fukuda O, Ohi M, Takaku A. Giant aneurysm in the cavernous sinus causing subarachnoid hemorrhage 13 years after detection: a case report, 143-cd
Handa H. Advice to young neurosurgeons, 582-rc
Handa Y. *See* Kabuto M
Hardy J
  Rapid recurrence of craniopharyngioma during pregnancy with recovery of vision: a case report, 327-com
  See Massoud F
  See Serri O
Har-El G, Swanson RM, Kent RH. Unusual presentation of a pituitary abcess, 351-cd
Harnsberger HR. *See* Palmer CA
Hasuo K. *See* Suzuki S
Havlina JM Jr. Too many neurosurgeons?, 105-ed
Hayakawa T
  See Nakagawa H
  See Sato M
Heary R. *See* Wolansky LJ
Heifetz MD. Ethics, AIDS, and the neurosurgeon, 299-ed
Hellwig D. *See* Bauer BL
Hellwig D, Kuhn TJ, Bauer BL, List-Hellwig E. Endoscopic treatment of septated chronic subdural hematoma, 272
Henegar MM, Koby MB, Silbergeld DL, Rich KM, Moran CJ. Intrasellar abcess following transsphenoidal surgery, 183-cd
Hernesniemi J
  See Kurl S
  See Leivo S
Hernesniemi J, Leivo S. Management outcome in third ventricular colloid cysts in a defined population: a series of 40 patients treated mainly by transcallosal microsurgery, 2, 14 (authors' reply)
Heros RC. *See* Ogilvy CS
Herrmann H-D. *See* Valdueza JM
Hockley AD. Hydrocephalus and macrocrania: surgical or non-surgical treatment of postshunting subdural hematoma?, 382-com
Hoffman HJ
  Advice to young neurosurgeons, 67
  Spinal malignant lymphoma appearing after radiation and chemotherapy of a pineal region tumor, 170-com
  Vein of Galen aneurysmal malformation in an adult: a case report, 42-com
Hoshi Y. *See* Kuroda S
Houkin K. *See* Kuroda S
Hughes JR. Magnetoencephalographic features in neurocysticercosis, 182-com
Hulsebos T. *See* Koot RW
Hwang PYK. *See* Sadasivan B

I

Iannetti G. Intracranial extension of paranasal sinus mucocele: two case reports, 48-com
Ide M. *See* Yamamoto M
Iguchi H. *See* Sakai K
Iizuka Y. *See* Ito M
Ikezaki K. *See* Suzuki S
Imamoto N. *See* Morioka T
Indira B, Panigrahi MK, Vajramani G, Shankar SK, Santosh V, Das BS. Tuberculoma of the hypothalamic region as a rare case of hypopituitarism: a case report, 347-cd
Itakura T. *See* Terada T
Ito H. *See* Koike Y
Ito M, Sonokawa T, Mishina H, Iizuka Y, Sato K. Dural arteriovenous malformation manifesting as *tic douloureux*, 370-cd
Iwai Y. *See* Yasui T
Izumoto S. *See* Nakagawa H

J

Jacobs M. *See* Phuphanich S
Jallu A, Kanaan I, Rahm B, Siqueira E. Suprasellar meningioma and blindness: a unique experience in Saudi Arabia, 320
Jho H-D
  Cerebellopontine angle glioneuronal hamartoma, 469-com
  Clinical controversy, 406
  Dural arteriovenous malformation manifesting as *tic douloureux*, 375-com
Jimbo M. *See* Yamamoto M
Joo J-Y. *See* Lee K-C
Joseph GJ. *See* Alleyne CH Jr, 265

K

Kabuto M, Kubota T, Kobayashi H, Handa Y, Tuchida A, Takeuchi H. MR imaging of cerebrospinal fluid rhinorrhea following the suboccipital approach to the cerebellopontine angle and the internal auditory canal: report of two cases, 336-cd
Kala M. Cerebrospinal fluid pseudocyst after anterior stabilization for cervical spine injury treated by ventricular drainage: case report, 293-cd
Kameya T. *See* Oka H
Kanaan I. *See* Jallu A
Kanai N. *See* Sato M
Kanpolat Y. Clinical controversy, 406
Karasawa J. *See* Touho H
Karmi MZ. *See* Couillard P
Kasaroğlu D. *See* Topsakal C
Kassell NF. Cisternal talc injection in dog can induce delayed and prolonged arterial constriction resembling cerebral vasospasm morphocologically and pharmacologically, 447-com
Kataoka K. *See* Asai T
Kawanishi M. *See* Nagasawa S
Kawano N. *See* Oka H
Kawase M. *See* Amagasa M
Kayama T
  See Mizoi K.
  See Su C-C
Keller T. The first primary brain tumor operation in America, 463
Kelly PJ. Management outcome in third ventricular colloid cysts in a defined population: a series of 40 patients treated mainly by transcallosal microsurgery, 12-com
Kent RH. *See* Har-El G
Kim P. *See* Nagata K
Kinoshita Y. *See* Terada T
Kirchhoff DFB. Intracranial extension of paranasal sinus mucocele: two case reports, 48-com
Kirino T. *See* Nagata K
Kishi H. *See* Yasui T
Kitamura K. *See* Sato M
Kiyota K. *See* Abe T
Kobata H. *See* Nagasawa S
Kobayashi E. *See* Nagata K
Kobayashi H. *See* Kabuto M
Kobayashi N. *See* Sakai K
Koby MB. *See* Henegar MM
Koike G. *See* Shiozawa Z
Koike Y, Tokoro K, Chiba Y, Suzuki S, Murai M, Ito H. Intracranial extension of paranasal sinus mucocele: two case reports, 44-cd
Kolchinsky A
  Expression of *bcl-2* gene product in embryonal tumors of the central nervous system, 235-com
  Flies with many eyes: first master gene found, 68
  Gene Therapeutics: Methods and Applications of Direct Gene Transfer, 593-br
  One step closer to gene therapy for Parkinson's disease, 211
  Triple primary malignant neoplasms including a malignant brain tumor: report of two cases and review of the literature, 229-com
  Physician to the Gene Pool: Genetic Stories and other Lessons, 508-br
  Polyposis coli, craniofacial exostosis and astrocytoma: the concomitant occurrence of the Gardner's and Turcot syndromes, 218-com
Komai N. *See* Terada T
Komiyama M. *See* Yasui T
Koot RW, Hulsebos T, van Overbeeke JJ. Polyposis coli, craniofacial exostosis and astrocytoma: the concomitant occurrence of the Gardner's and Turcot syndromes, 213
Kopitnik TA Jr, Samson D
  Dissecting aneurysm of the anterior cerebral artery causing hemorrhagic infarction, 29-com
  Evaluation of outcome after intracranial aneurysm surgery: the neuropsychiatric approach, 428-com
  A large thrombosed superior cerebellar artery aneurysm: a case report, 38-com
  Neuroimaging studies of postobliteration nidus changes in cerebral arteriovenous malformations treated by gamma knife radiosurgery, 121-com
  Very poor prognosis in cases with extravasation of the contrast medium during angiography, 565-com
Kornblith PL
  Expression of *bcl-2* gene product in embryonal tumors of the central nervous system, 234- com
  Tirilazad does not protect rat brain from brachytherapy-induced injury, 489-com
  Triple primary malignant neoplasms including a malignant brain tumor: report of two cases and review of the literature, 229-com
Koshu K. *See* Fujimura M

Kouketsu N. *See* Takayasu M
Krieger AJ. *See* Maniker AH
Kroeker G, Parkinson D, Vriend J, Peeling J. Neurochemical effects of static magnetic field exposure, 62
Kubo S. *See* Nakagawa H
Kubota T. *See* Kabuto M
Kuhn TJ. *See* Hellwig D
Kumar A. Intracranial adenoid cystic carcinoma: case report and review of the literature, 271-com
Kuratsu J. *See* Yoshizato K
Kuriyama T. *See* Terada T
Kurl S, Saari T, Vanninen R, Hernesniemi J. Dural arteriovenous fistulas of superior sagittal sinus: case report and review of literature, 250-cd
Kuroda S, Houkin K, Abe H, Hoshi Y, Tamura M. Near-infrared monitoring of cerebral oxygenation state during carotid endarterectomy, 450

L

Laidlaw J
The fiberoptic intraparenchymal cerebral pressure monitor in 244 patients, 281-com
The second congress of the International Stereotactic Radiosurgery Society June 14–17, 1995, Boston, Massachusetts, 480
Larson SJ. Surgical treatment of thoracic disc herniation: a reappraisal of Larson's lateral extracavitary approach, 522-com
Lasjaunias P. Vein of Galen aneurysmal malformation in an adult: a case report, 43-com
Lauretti L. *See* Puca A
Laws ER Jr, Vance ML. Transsphenoidal adenectomy for microprolactinomas: 10 to 20 years of follow-up, 344-com
Lee H-J. *See* Wolansky LJ
Lee KC. Surgical treatment of thoracic disc herniation: a reappraisal of Larson's lateral extracavitary approach, 522-com
Lee K-C, Joo J-Y, Lee K-S. False localization of rupture by computed tomography in bilateral internal carotid artery aneurysms, 435
Lee K-S. *See* Lee K-C
Lee S-T. *See* Wong C-W
Leivo S, Hernesniemi J, Luukkonen M, Vapalahti M. Early surgery improves the cure of aneurysm-induced oculomotor palsy, 430
Leivo S. *See* Hernesniemi J
Lindquist C. *See* Yamamoto M
List-Hellwig E. *See* Hellwig D
Lui T-N. *See* Wong C-W
Lundsford LD. Neuroimaging studies of postobliteration nidus changes in cerebral arteriovenous malformations treated by gamma knife radiosurgery, 121-com
Luukkonen M. *See* Leivo S

M

Mafee MF
Cine-mode magnetic resonance imaging of a thoracic intradural arachnoid cyst: a case report, 536-com
Intracranial adenoid cystic carcinoma: case report and review of the literature, 270-com
Neurochemical effects of static magnetic field exposure, 66-com
Preoperative MRI diagnosis of Lhermitte-Duclos disease: case report with associated enlarged vessel and syrinx, 475-com
See Alperin N
Maira G. False localization of rupture by computed tomography in bilateral internal carotid artery aneurysms, 440-com
Malantic GP. *See* Wolansky LJ
Malik GM. Large cerebral arteriovenous malformations: experience with 27 cases, 249-com
Maniker AH, Krieger AJ. Rapid recurrence of craniopharyngioma during pregnancy with recovery of vision: a case report, 324-cd
Maniker AH. *See* Wolansky LJ
Mann RF. The relationship between brain surface elastance and brain reexpansion after evacuation of chronic subdural hematoma, 574-com
Maroon JC. Primary benign tumors of the orbital cavity: comparative data in a series of patients with optic nerve glioma, sheath meningioma, or neurinoma, 153-com
Marshall LF. Are steroids useful in the treatment of head-injured patients?, 296-rc
Massoud F, Serri O, Hardy J, Somma M, Beauregard H. Transsphenoidal adenectomy for microprolactinomas: 10 to 20 years of follow-up, 341
Matsumoto K. *See* Abe T
Matsumoto S. *See* Sato M
Matsushima T. *See* Suzuki S
Mawad ME. Giant aneurysms of the anterior Circle of Willis: management outcome of open microsurgical treatment, 420-com
Mikulis D. *See* Bernstein M
Miller JD. Are steroids useful in the treatment of head-injured patients?, 296-rc
Mishina H. *See* Ito M
Misra M, Dujovny M, Dujovny N. Sugita aneurysm clip sterilizing tray, 448
Missori P. *See* Delfini R
Miyoshi A. *See* Nagashima C
Mizoi K. *See* Yoshimoto T
Mizoi K, Kayama T, Yoshimoto T, Nagamine Y. Indirect revascularization for Moyamoya disease: is there a beneficial effect for adult patients?, 541
Moran CJ. *See* Henegar MM
Mori T. *See* Nagata K
Morioka T. *See* Suzuki S
Morioka T, Yamamoto T, Nishio S, Takeshita I, Imamoto N, Fukui M. Magnetoencephalographic features in neurocysticercosis, 176-cd
Mortara RH. The relationship between brain surface elastance and brain reexpansion after evacuation of chronic subdural hematoma, 574-com
Moseley ME, de Crespigny A, Spielman DM. Magnetic resonance imaging of human brain function, 385
Müller D. *See* Valdueza JM
Munoz Muñoz-Ruiz L
Contemporary Management of Spinal Cord Injury, 401-br
High-yield neuroanatomy, 196-rc
Murai M. *See* Koike Y
Murtagh FR. *See* Phuphanich S

N
Nagai M. *See* Okuno S
Nagamine Y. *See* Mizoi K
Nagane M, Shibui S, Nishikawa R, Oyama H, Nakanishi Y, Nomura K. Triple primary malignant neoplasms including a malignant brain tumor: report of two cases and review of the literature, 219-cd
Nagasawa S, Kobata H, Aoki J, Kawanishi M, Ohta T. A large thrombosed superior cerebellar artery aneurysm: a case report, 36-cd
Nagasawa S, Tanaka H, Kawanishi M, Ohta T. Contralateral external carotid-to-external carotid artery (half-collar) saphenous vein graft for common carotid artery occlusion, 138-cd
Nagashima C, Miyoshi A, Nagashima R, Ogawa M, Enomoto K, Watabe T. Spinal giant intradural perimedullary arteriovenous fistula: clinical and neuroradiological study in one case with review of literature, 524
Nagashima R. *See* Nagashima C
Nagata K, Sasaki T, Mori T, Nikaido H, Kobayashi E, Kim P, Kirino T. Cisternal talc injection in dog can induce delayed and prolonged arterial constriction resembling cerebral vasospasm morphocologically and pharmacologically, 442
Nakagawa H, Fujita T, Kubo S, Izumoto S, Nakajima Y, Tsuruzono K, Tokiyoshi K, Hayakawa T. Ventriculolumbar perfusion chemotherapy with methotrexate and cytosine arabinoside for meningeal carcinomatosis: a pilot study in 13 patients, 256
Nakajima Y. *See* Nakagawa H
Nakamura Y. *See* Terada T
Nakanishi Y. *See* Nagane M
Nicholson JK. *See* Parker KM
Nikaido H. *See* Nagata K
Nishikawa M. *See* Yasui T
Nishikawa R. *See* Nagane M
Nishio S. *See* Morioka T
Nomura K. *See* Nagane M
Nyhus LM. *Oxford Textbook of Surgery,* 403-br

O
Ochiai C. *See* Okuno S
Ogata N. *See* Yonekawa Y
Ogawa M. *See* Nagashima C
Ogilvy CS, Crowell RM, Heros RC. Approaches to MCA aneurysms, 592 (authors' reply)
Ohi M. *See* Hamada H
Ohmoto T. *See* Fukuhara T
Ohta T. *See* Nagasawa S
Oka H, Satoh Y, Kawano N, Yagishita S, Kameya T. Expression of *bcl-2* gene product in embryonal tumors of the central nervous system, 230
Okubo T. *See* Su C-C
Okuno S, Ochiai C, Nagai M. Dissecting aneurysm of the anterior cerebral artery causing hemorrhagic infarction, 25-cd
Okura A. *See* Shigemori M
Oldershaw JB. *If I were a Rich Man, Could I Buy a Pancreas?,* 305-br
Oldfield EH. Rapid enlargement of a syringomyelia cavity following syringo-subarachnoid shunt: case report, 369-com
Ostertag CB. Spinal malignant lymphoma appearing after radiation and chemotherapy of a pineal region tumor, 170-com
Ostrosky-Zeichner L. *See* Soto-Hernandez JL
Oyama H. *See* Nagane M
Ozaki M. *See* Sato M

P
Padberg B. *See* Valdueza JM
Pallini R. *See* Puca A
Palmer CA, Townsend JJ, Harnsberger HR, Parkin JL, Apfelbaum RI. Cerebellopontine angle glioneuronal hamartoma, 467-cd
Pang D. Dermoid cyst within an upper thoracic meningocele, 291-com
Panigrahi MK. *See* Indira B
Parker KM, Nicholson JK, Cezayirli RC, Biggs PJ. Aspergillosis of the sphenoid sinus: presentation as a pituitary mass and postoperative gallium-67 imaging, 354
Parkin JL. *See* Palmer CA
Parkinson D. *See* Kroeker G
Parkison D. Evaluating cerebral concussion, 459
Patel UJ. *See* Wolansky LJ
Pawl RP
Brown-Sequard syndrome produced by cervical disc herniation: case report and literature review, 361-com
Surgical treatment of a sacral nerve root cyst with intermittent claudication in an 85-year-old patient: case report, 286-com
Techniques in Spinal Fusion and Stabilization, 304-br
Pearce JE. Traumatic laceration of the intracranial vertebral artery causing fatal subarachnoid hemorrhage: case report, 568-com
Peeling J. *See* Kroeker G
Pelofsky S, Rutledge BJ. Medicare and HMOs, 504-rc
Pendl G. Management outcome in third ventricular colloid cysts in a defined population: a series of 40 patients treated mainly by transcallosal microsurgery, 11-com
Pereira Gomes Neto A. *See* Alves de Sousa A
Phuphanich S, Jacobs M, Murtagh FR, Gonzalvo A. MRI of spinal cord radiation necrosis simulating recurrent cervical cord astrocytoma and syringomyelia, 362
Pool JL. Retirement: what to do?, 583-ed
Portnoy HD
Thou shalt not bear false witness, 492-ed
Too many neurosurgeons?, 104-ed
Puca A, Fernandez E, Colosimo C, Lauretti L, Pallini R, Tamburrini G. Hydrocephalus and macrocrania: surgical or non-surgical treatment of postshunting subdural hematoma?, 376-cd

R
Rahm B. *See* Jallu A
Raja IA
The overproduction of neurosurgeons jeopardizes future neurosurgical care, 318-com
Suprasellar meningioma and blindness: a unique experience in Saudi Arabia, 322-com
Ransohoff J. Too many neurosurgeons?, 105-ed

Rich KM. *See* Henegar MM
Robinson J, Spetzler RF. Extracerebral cavernous angiomas of the cavernous sinus in the middle fossa, 132-com
Rockswold GL. Traumatic laceration of the intracranial vertebral artery causing fatal subarachnoid hemorrhage: case report, 568-com
Rolemberg Dantas FL. *See* Alves de Sousa A
Rosenberg RN
  Moyamoya disease associated with persistent primitive trigeminal artery variant in identical twins, 240-com
  Polyposis coli, craniofacial exostosis and astrocytoma: the concomitant occurrence of the Gardner's and Turcot syndromes, 218-com
Rumana CS, Baskin DS. Brown-Sequard syndrome produced by cervical disc herniation: case report and literature review, 359-cd
Rutledge BJ. *See* Pelofsky S

S

Saari T. *See* Kurl S
Sadasivan B, Hwang PYK. Large cerebral arteriovenous malformations: experience with 27 cases, 245-cd
Şahin Y. *See* Topsakal C
Saito K. *See* Suzuki Y
Sakai K, Sakamoto K, Kobayashi N, Iguchi H. Dermoid cyst within an upper thoracic meningocele, 287-cd
Sakamoto K. *See* Sakai K
Sakata I. *See* Asai T
Salcman M. Too many neurosurgeons?, 103-ed
Samii A, Dujovny M. Kirwan® "non-stick" bipolar forceps, 297
Samil A. The neurobiological basis of fever, 392-rc
Samson D. *See* Kopitnik TA Jr
Santosh V. *See* Indira B
Sasaki T. *See* Nagata K
Sato K. *See* Ito M
Sato M, Kanai N, Fukushima Y, Matsumoto S, Tatsumi C, Kitamura K, Ozaki M, Hayakawa T. Hypoglossal neurinoma extending intra- and extracranially: case report, 172-cd
Sato S. *See* Amagasa M
Satoh Y. *See* Oka H
Schut L. Hydrocephalus and macrocrania: surgical or non-surgical treatment of postshunting subdural hematoma?, 382-com
Schwartz B. *See* Sobel DF
Seguchi K. *See* Shiozawa Z
Sengupta RP. Evaluation of outcome after intracranial aneurysm surgery: the neuropsychiatric approach, 428-com
Serri O. *See* Massoud F
Serri O, Hardy J. Transsphenoidal adenectomy for microprolactinomas: 10 to 20 years of follow-up, 345 (authors' reply)
Shankar SK. *See* Indira B
Shapiro S, Bowman R, Callahan J, Wolfla C. The fiberoptic intraparenchymal cerebral pressure monitor in 244 patients, 278
Shapiro WR. Ventriculolumbar perfusion chemotherapy with methotrexate and cytosine arabinoside for meningeal carcinomatosis: a pilot study in 13 patients, 263-com
Sharer LR. *See* Wolansky LJ
Sheikh BY, Siqueira E, Dayel F. Meningioma in children: a report of nine cases and review of the literature, 328-cr
Shibui S. *See* Nagane M
Shibuya M. *See* Suzuki Y
Shibuya S. *See* Takayasu M
Shigemori M, Okura A, Takahashi Y, Tokutomi T. New surgical treatment of middle fossa arachnoid cyst, 189
Shimizu H. *See* Fujimura M
Shindo K. *See* Shiozawa Z
Shiozawa Z, Koike G, Seguchi K, Shindo K, Sugita K. Unilateral tongue atrophy due to an enlarged emissary vein in the hypoglossal canal, 477-cd
Shirane R. *See* Su C-C
Shubert DL. Too many neurosurgeons?, 102-ed
Silbergeld DL. *See* Henegar MM
Siqueira E
  See Jallu A
  See Sheikh BY
Sobel DF, Dalessio D, Copeland B, Schwartz B. Cerebral aneurysm thrombosis, shrinkage, then disappearance after subarachnoid hemorrhage, 133-cd
Somma M. *See* Massoud F
Sonokawa T. *See* Ito M
Sotelo J. Cerebral alveolar hydatosis: a case report, 581-com
Soto-Hernandez JL, Ostrosky-Zeichner L, Tavera G, Gomez-Aviña A. Neurocysticercosis and HIV infection: report of two cases and review, 57-cd
Spallone A, Tcherekayev VA. Simultaneous occurrence of aneurysm and multiple meningioma in Klippel-Trenaunay patients: case report, 241-cd
Spetzler RF. *See* Robinson J
Spielman DM. *See* Moseley ME
Stark JL. *See* Beristain X
Stein BM
  Management outcome in third ventricular colloid cysts in a defined population: a series of 40 patients treated mainly by transcallosal microsurgery, 13-com
  MRI of spinal cord radiation necrosis simulating recurrent cervical cord astrocytoma and syringomyelia, 365-com
  Neuroimaging studies of postobliteration nidus changes in cerebral arteriovenous malformations treated by gamma knife radiosurgery, 119-com
  See Bruce JN
Steiner L. *See* Yamamoto M
Stern WE
  Retirement: what to do?, 495-ed
  Too many neurosurgeons?, 105-ed
Stiver S. *See* Bernstein M
Stranjalis G. The overproduction of neurosurgeons jeopardizes future neurosurgical care, 314
Strommer K. *See* Yonekawa Y
Su C-C, Shirane R, Okubo T, Kayama T, Yoshimoto T. Surgical treatment of a sacral nerve root cyst with intermittent claudication in an 85-year-old patient: case report, 283-cd
Sugita K
  See Shiozawa Z
  See Suzuki Y

Suzuki S. *See* Koike Y
Suzuki S, Morioka T, Matsushima T, Ikezaki K, Hasuo K, Fukui M. Moyamoya disease associated with persistent primitive trigeminal artery variant in identical twins, 236-cd
Suzuki Y. *See* Takayasu M
Suzuki Y, Shibuya M, Baskaya MK, Takakura S, Yamamoto M, Saito K, Glazier SS, Sugita K. Extracerebral cavernous angiomas of the cavernous sinus in the middle fossa, 123
Swanson RM. *See* Har-El G
Symon L. The overproduction of neurosurgeons jeopardizes future neurosurgical care, 316-com

T
Takahashi Y. *See* Shigemori M
Takaku A. *See* Hamada H
Takakura K
The overproduction of neurosurgeons jeopardizes future neurosurgical care, 317-com
See Yamamoto M
Spinal malignant lymphoma appearing after radiation and chemotherapy of a pineal region tumor, 170-com
Takakura S. *See* Suzuki Y
Takayasu M, Shibuya S, Kouketsu N, Suzuki Y. Rapid enlargement of a syringomyelia cavity following syringo-subarachnoid shunt: case report, 366-cd
Takeshita I. *See* Morioka T
Takeuchi H. *See* Kabuto M
Tamburrini G. *See* Puca A
Tamura M. *See* Kuroda S
Tanaka H
See Abe T
See Nagasawa S
Tanaka S. *See* Terada T
Tandon PN. The overproduction of neurosurgeons jeopardizes future neurosurgical care, 317-com
Taneda M. *See* Asai T
Tarantino R. *See* Delfini R
Tatsumi C. *See* Sato M
Tavera G. *See* Soto-Hernandez JL
Tcherekayev VA. *See* Spallone A
Teles Cardoso Carvalho G. *See* Alves de Sousa A
Tenjin H. *See* Touho H
Terada T, Kinoshita Y, Yokote H, Tsuura M, Itakura T, Komai N, Nakamura Y, Tanaka S, Kuriyama T. Preoperative embolization of meningiomas fed by opthalmic branch arteries, 161
Tew JM Jr. Clinical controversy, 407
Thomas B. *See* Alleyne CH Jr
Tindall GT. Transsphenoidal adenectomy for microprolactinomas: 10 to 20 years of follow-up, 344-com
Tokiyoshi K. *See* Nakagawa H
Tokoro K. *See* Koike Y
Tokutomi T. *See* Shigemori M
Tominaga T. *See* Fujimura M
Topsakal C, Aydin Y, Aydin F, Şahin Y, Bilge T, Kasaroğlu D, Delibalta N. Cerebral alveolar hydatosis: a case report, 575-cd
Touho H, Karasawa J, Tenjin H, Ueda S. Omental transplantation using a superficial temporal artery previously used for encephaloduroarteriosynangiosis, 550
Townsend JJ. *See* Palmer CA
Tsuruzono K. *See* Nakagawa H
Tsuura M. *See* Terada T
Tuchida A. *See* Kabuto M, 336

U
Ueda S. *See* Touho H
Uejima T. *See* Asai T
Umansky F. Intracranial extension of paranasal sinus mucocele: two case reports, 48-com
Ushio Y. *See* Yoshizato K

V
Vajramani G. *See* Indira B
Valdueza JM, Westphal M, Vortmeyer A, Müller D, Padberg B, Herrmann H-D. Central neurocytoma: clinical, immunohistologic, and biologic findings of a human neuroglial progenitor tumor, 49
Vance ML. *See* Laws ER Jr
VanGilder JC
Intrasellar abcess following transsphenoidal surgery, 188-com
Too many neurosurgeons?, 107-ed
Vanninen R. *See* Kurl S
van Overbeeke JJ. *See* Koot RW
Vapalahti M. *See* Leivo S
Velasco-Suarez M. Retirement: what to do?, 583-ed
Vortmeyer A. *See* Valdueza JM
Vriend J. *See* Kroeker G

W
Walder HAD. Willem Luyendijk (1917–1995), 203
Walker AE. The falling sickness arises, 71
Walker AM. A. Earl Walker (1907–1995), 82
Watabe T. *See* Nagashima C
Watts C. Unintended durotomy, 302-le
Wester K. Arachnoid cysts in adults: experience with internal shunts to the subdural compartment, 15
Westphal M. *See* Valdueza JM
Wier BK. Early surgery improves the cure of aneurysm-induced oculomotor palsy, 434-com
Wilson CB
Intramedullary epidermoid cyst in the brain stem: a case report, 540-com
Too many neurosurgeons?, 103-ed
Wirth FP. Extruded cervical disc, 512-cd
Wissinger JP
Brown-Sequard syndrome produced by cervical disc herniation: case report and literature review, 361-com
Cerebrospinal fluid pseudocyst after anterior stabilization for cervical spine injury treated by ventricular drainage: case report, 295-com
Extruded cervical disc, 513-cd
Wolansky LJ, Malantic GP, Heary R, Maniker AH, Lee H-J, Sharer LR, Patel UJ. Preoperative MRI diagnosis of Lhermitte-Duclos disease: case report with associated enlarged vessel and syrinx, 470-cd

Wolfla C. *See* Shapiro S
Wong C-W, Lee S-T, Lui T-N, Wu T, Wu L-L. Fluctuating hemiparesis caused by a quadrigeminal arachnoid cyst: case report, 193-cd
Wu L-L. *See* Wong C-W
Wu T. *See* Wong C-W

Y
Yagishita S. *See* Oka H
Yake RF. Too many neurosurgeons?, 106-ed
Yamada S. Magnetoencephalographic features in neurocysticercosis, 181-com
Yamamoto M. *See* Suzuki Y
Yamamoto M, Ide M, Jimbo M, Takakura K, Lindquist C, Steiner L. Neuroimaging studies of postobliteration nidus changes in cerebral arteriovenous malformations treated by gamma knife radiosurgery, 110
Yamamoto T. *See* Morioka T
Yamanaka K. *See* Yasui T
Yarzagaray L. Extruded cervical disc, 513-cd
Yasui T, Kishi H, Komiyama M, Iwai Y, Yamanaka K, Nishikawa M. Very poor prognosis in cases with extravasation of the contrast medium during angiography, 560
Yokote H. *See* Terada T
Yonekawa Y, Ogata N, Strommer K. Indirect revascularization for Moyamoya disease: is there a beneficial effect for adult patients?, 548-com
Yoshimoto T, Mizoi K. False localization of rupture by computed tomography in bilateral internal carotid artery aneurysms, 441-com
Yoshimoto T
Cavernous Malformations, 505-br
Giant aneurysms of the anterior Circle of Willis: management outcome of open microsurgical treatment, 420-com
See Fujimura M
See Mizoi K
See Su C-C
Yoshizato K, Yutaka K, Kuratsu J, Ushio Y. Intramedullary epidermoid cyst in the brain stem: a case report, 537-cd
Yuda F. *See* Amagasa M
Yutaka K. *See* Yoshizato K

br = book review; cd = case description; com = commentary; ed = editorial; le = letter or reader's comment; rc = resident's corner.

ELSEVIER

SUBJECT INDEX

A

Abcess
  intrasellar, following transsphenoidal surgery, 183-cd
  pituitary, unusual presentation of, 351-cd
Adenomectomy, transsphenoidal, for microprolactinomas, 10 to 20 years of follow-up, 341
AIDS, ethics, and the neurosurgeon, 299-ed
Alveolar hydatidosis, cerebral, 575-cd
American Association of Neurological Surgeons annual meeting, April 1995; Orlando, Florida, 197
Aneurysms, *See* Cerebral aneuryms
Angiography, extravasation of contrast medium during, very poor prognosis in cases with, 560
Angiomas, extracerebral cavernous, of cavernous sinus, in middle fossa, 123
Anterior cerebral artery, aneurysm, causing hemorrhagic infection, dissecting, 25
Anterior circle of Willis, giant aneurysms of, management outcome of open microsurgical treatment, 409
Anterior stabilization, for cervical spine injury, treated by ventricular drainage, CSF pseudocyst after, 293-cd
Arachnoid cysts
  in adults, internal shunts to subdural compartment, 15
  middle fossa, new surgical treatment of, 189
  quadrigeminal, fluctuating hemiparesis caused by, 193-cd
  thoracic intradural, cine-mode MRI imaging of, 533-cd
Arteries
  anterior cerebral, aneurysm, causing hemorrhagic infection, dissecting, 25
  carotid, occlusion of, carotid-to-carotid artery vein graft for, 138
  constriction, delayed and prolonged, resembling cerebral vasospasm, cisternal talc injection in dog can induce, 442
  middle cerebral, aneurysms, approaches to, 591-le
  ophthalmic branch, preoperative embolization of meningiomas fed by, 161
  temporal superficial, previously used for encephaloduroarteriosynangiosis, omental transplantation using, 550
  vertebral intracranial, traumatic laceration of, causing fatal subarachnoid hemorrhage, 566-cd
Arteriovenous fistula
  dural, of superior sagittal sinus, 250-cd
  giant spinal intradural perimedullary, 524-cd
Arteriovenous malformations
  dural, manifesting as *tic douloureux*, 370-cd
  gamma knife-treated, postobliteration nidus changes in, neuroimaging studies of, 110
  large cerebral, 245-cd
Aspergillosis, of sphenoid sinus, presentation as pituitary mass, and postoperative gallium-67 imaging, 354-cd
Astrocytoma
  cervical cord, recurrent, MRI of spinal cord radiation necrosis simulating, 362-cd
  in Gardner's and Turcot syndromes, 213
Atrophy, tongue, unilateral, due to enlarged emissary vein in hypoglossal canal, 477-cd
Auditory canal, internal, suboccipital approach to, MR imaging of CSF rhinorrhea following, 336-cd

B

Balloon dilation of operative corridors, microsurgical removal of intraventricular meningioma with, and ultrasound guidance, 155-cd
bcl-2 gene product, expression of, in CNS embryonal tumors, 230
Bilateral internal carotid artery aneurysms, false localization of rupture, by CT, 435
BOOK REVIEWS
  Advances in Radiosurgery, 94
  Cavernous malformations, 505
  Contemporary Management of Spinal Cord Injury, 401
  Craniofacial Anomalies: Growth and Development from a Surgical Perspective, 401
  Essentials of Neural Science and Behavior, 206
  If I were a Rich Man, Could I Buy a Pancreas?, 305
  Gene Therapeutics: Methods and Applications of Direct Gene Transfer, 593
  Minimally Invasive Neurosurgery II (Acta Neurochirurgica Supplement 61), 507
  A Miracle and a Privilege: Recounting a Half Century of Surgical Advance, 205
  Operative Neurosurgical Techniques, Vol. 1 & 2, 593
  Oxford Textbook of Surgery, 402
  Philosophy of Neurological Surgery, 93
  Physician to the Gene Pool: Genetic Lessons and Other Stories, 508
  The Pituitary Gland, 2nd ed., 402
  The Shunt Book, 206
  Techniques in Spinal Fusion and Stabilization, 304
  Vandals at the Gates of Medicine, 303
Brachytherapy-induced injury, tirilazad does not protect rat brain from, 482
Brain
  human, MRI of function, 385
  rat, tirilazad does not protect from brachytherapy-induced injury, 482

0090-3019/96/$15.00
PII S0090-3019(96)00179-8

© 1996 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

surface elastance, and brain expansion, after evacuation of chronic subdural hematoma, 570
tumors
first primary brain tumor operation in America, 463
malignant, triple primary malignant neoplasms including, 219
See also specific type of tumor
Brain stem, intramedullary epidermoid cyst in, 537-cd
Brown-Sequard syndrome, produced by cervical disc herniation, 359-cd

C
Carcinoma, intracranial adenoid cystic, 265-cr
Carotid artery
aneurysms, bilateral internal, false localization of rupture, by CT, 435
endarterectomy, near-infrared monitoring of cerebral oxygenation state during, 458
occlusion, contralateral external carotid-to-external carotid artery (half-collar) saphenous vein graft for, 138
Cavernous malformations, 505-br
Cavernous sinus
extracerebral cavernous angiomas of, in middle fossa, 123
giant aneurysm in, causing subarachnoid hemorrhage 13 years after detection, 143-cr
Cavity, syringomyelia, rapid enlargement of, following syringo-subarachnoid shunt, 366-cd
Central nervous system
embryonal tumors of, *bcl-2* gene product in, 230
omentum in, first international congress of, 87
Central neurocytoma, findings of human neuroglial progenitor tumor, 49
Cerebellopontine angle
glioneuronal hamartoma, 467-cd
suboccipital approach to, MR imaging of CSF rhinorrhea following, 336-cd
Cerebral alveolar hydatidosis, 575-cd
Cerebral aneurysms
of anterior cerebral artery, causing hemorrhagic infarction, dissecting, 25
bilateral internal carotid artery, false localization of rupture, by CT, 435
giant
of anterior circle of Willis, open microsurgical treatment of, management outcome, 409
of cavernous sinus, causing subarachnoid hemorrhage, 13 years after detection, 143-cr
of posterior cerebral artery, in 4-year-old child, 31-cd
intracranial aneurysm surgery, evaluation of outcome after, using neuropsychiatric approach, 422
middle cerebral artery, approaches to, 591-le
and multiple meningioma, simultaneous occurrence of, in Klippel-Trenaunay syndrome, 241-cd
oculomotor palsy induced by, early surgery improves cure of, 430
Sugita aneurysm clip sterilizing tray, 448
thrombosis, shrinkage, then disappearance, after subarachnoid hemorrhage, 133-cd
vein of Galen malformation, in adult, 39-cd
Cerebral concussion, evaluating, 459
Cerebral oxygenation state, near-infrared monitoring of, during carotid endarterectomy, 458
Cerebral vasospasm, delayed and prolonged arterial constriction resembling, cisternal talc injection in dog can induce, 442
Cerebrospinal fluid
pseudocyst, after anterior stabilization for cervical spine injury, treated by ventricular drainage, 293-cd
rhinorrhea, following suboccipital approach, to cerebellopontine angle and internal auditory canal, 336-cd
Cervical cord astrocytoma, recurrent, MRI of spinal cord radiation necrosis simulating, 362-cd
Cervical disc
extruded, 512-cd
herniation, Brown-Sequard syndrome produced by, 359-cd
Cervical spine injury, anterior stabilization for, CSF pseudocyst after, treated by ventricular drainage, 293-cd
Chemotherapy
and radiation, of pineal region tumor, spinal malignant lymphoma appearing after, 167-cd
ventriculolumbar perfusion, with methotrexate and cytosine arabinoside, for meningeal carcinomatosis, 256
Children, *See* Infants and children
Cine-mode MRI imaging, of thoracic intradural arachnoid cyst, 533-cd
Cisternal talc injection, in dog, can induce delayed and prolonged arterial constriction, resembling cerebral vasospasm, 442
Claudication, intermittent, for sacral nerve root cyst, in 85-year-old woman, 283-cr
CNS, *See* Central nervous system
Colloid cysts, ventricular, in defined population, management outcome in, 2
Computed tomography, false localization of rupture by, in bilateral internal carotid artery aneurysms, 435
Concussion, cerebral, *See* Cerebral concussion
Congress
first international, of omentum, in CNS, 87
second, of the International Stereotactic Radiosurgery Society, June 14–17, 1995; Boston, MA, 480
Constriction, arterial, delayed and prolonged, resembling cerebral vasospasm, 442
Contralateral external carotid-to-external carotid artery (half-collar) saphenous vein graft, for common carotid artery occlusion, 138
Contrast medium, extravasation of, during angiography, very poor prognosis in cases with, 560
Cosmetic reconstruction, of temporal defect, following pterional craniotomy, 383
Craniofacial anomalies, growth and development, from a surgical perspective, 401-br
Craniofacial exocytosis, in Gardner's and Turcot syndromes, 213
Craniopharyngioma, during pregnancy, rapid recurrence of, with recovery of vision, 324-cd
Craniotomy, pterional, cosmetic reconstruction of temporal defect following, 383
Cysts
adenoid, and intracranial carcinoma, 265-cr

arachnoid
in adults, internal shunts to subdural compartment, 15
middle fossa, new surgical treatment of, 189
quadrigeminal, fluctuating hemiparesis caused by, 193-cd
thoracic intradural, cine-mode MRI imaging of, 533-cd
dermoid, within upper thoracic meningocele, 287
intramedullary epidermoid, in brain stem, 537-cd
sacral nerve root, surgical treatment of, with intermittent claudication, in 85-year-old woman, 283-cr

D

Dermoid cyst, within upper thoracic meningocele, 287
Development, of craniofacial anomalies, from a surgical perspective, 401-br
Direct gene transfer, methods and applications of, 593-br
Dissecting, aneurysm of anterior cerebral artery, 25
Disc
cervical
extruded, 512-cd
herniation, Brown-Sequard syndrome produced by, 359-cd
thoracic, hernation, surgical treatment of, 517
Dura
arteriovenous fistulas, of superior sagittal sinus, 250-cd
arteriovenous malformation, manifesting as *tic douloureux*, 370-cd
giant intradural perimedullary fistula, spinal, 524-cd
thoracic intradural arachnoid cyst, cine-mode MRI of, 533-cd
Durotomy, unintended "incidental", 302-rc, 590

E

Editorials
Are there too many neurosurgeons?, 200
Editor's notes, 68, 87, 102, 167, 299, 497
Ethics, AIDS, and the neurosurgeon, 299
In this issue, 1, 101, 209, 313, 405, 511
Is there a disease afflicting neurosurgeons worldwide?, 91
Octogenarian pearls, 587
Perspectives on a neurosurgical practice, 301
Retirement: what to do?, 583, 584
Stop complaining and do something constructive!, 399
The physician's role in curing social ills, 497
Thou shalt not bear false witness, 492
Too many neurosurgeons?, 102
Unintended "incidental" durotomy, 302-rc, 590
The West's deepening cultural crisis, 394
Elderly, *See* Geriatrics
Embolization, preoperative, of meningiomas fed by ophthalmic branch arteries, 161
Embryonal cell tumors, CNS, *bcl-2* gene product expression in, 230
Emissary vein, enlarged, in hypoglossal canal, unilateral tongue atrophy due to, 477-cd
Encephaloduroarteriosynangiosis, superficial temporal artery previously used for, omental transplantion using, 550
Endarterectomy, carotid, near-infrared monitoring of cerebral oxygenation state during, 458
Endoscopic treatment, of septated chronic subdural hematoma, 272
Enlargement
rapid, of syringomyelia cavity, following syringo-subarachnoid shunt, 366-cd
vessel, associated with Lhermitte-Duclos disease, 470-cd
Epidermoid cyst, intramedullary, in brain stem, 537-cd
Epilepsy, 71
Ethics, AIDS, and the neurosurgeon, 299-ed
European Society for Paediatric Neurosurgery, March 19–24, 1995; Eliat, Israel, first interim meeting for, 585
Evacuation, of chronic subdural hematoma, relationship between brain surface elastance and brain reexpansion after, 570
Extension, intracranial, of paranasal sinus muscle, 44-cd
Extracerebral cavernous angiomas, of cavernous sinus, in middle fossa, 123
Extravasation, of contrast medium, during angiography, very poor prognosis in cases with, 560
Extruded cervical disc, 512-cd

F

Falling sickness, *See* Epilepsy
False localization, of rupture, by CT, in bilateral internal carotid artery aneurysms, 435
False witness, 492-ed
Fever, neurobiological basis of, 392-rc
Fiberoptic intraparenchymal cerebral pressure monitor, 278
Flies, with many eyes, first master gene found, 68
Fluctuating hemiparesis, caused by quadrigeminal arachnoid cyst, 193-cd
Function, human brain, MRI of, 385
Fusion, spinal, techniques in, 304-br

G

Gallium-67 imaging, postoperative, in sphenoid sinus aspergillosis, 354-cd
Gamma knife-treated arteriovenous malformations, postobliteration nidus changes in, neuroimaging studies of, 110
Gardner's syndrome, concomitant occurrence of with Turcot syndrome, 213
Gene, master, first found, 68
Gene pool, 508-br
Gene product, *bcl-2*, expression of, in CNS embryonal tumors, 230
Gene therapy, for Parkinson's disease, one step closer to, 211
Gene transfer, direct, methods and applications of, 593-br
Geriatrics
surgical treatment, of sacral nerve root cyst, with intermittent claudication, in 85-year-old patient, 283-cr

Giant aneurysms, of anterior circle of Willis, open microsurgical treatment of, management outcome, 409
Giant intradural perimedullary arteriovenous fistula, spinal, 524-cd
Giant posterior cerebral artery aneurysm, in 4-year-old child, 31-cd
Glioblastoma, triple primary cancers with, 219-cd
Glioma, optic nerve, 147
Glioneuronal hamartoma, cerebellopontine angle, 467-cd
Graft, saphenous vein, contralateral external carotid-to-external carotid artery (half-collar), for common carotid artery occlusion, 138
Growth, of craniofacial anomalies, from a surgical perspective, 401-br

H

Hamartoma, glioneuronal, cerebellopontine angle, 467-cd
Hemiparesis, fluctuating, caused by quadrigeminal arachnoid cyst, 193-cd
Hemorrhage, subarachnoid
  cerebral aneurysm shrinkage then disappearance after, 133-cd
  giant aneurysm in cavernous sinus causing, 13 years after detection, 143-cd
Hemorrhagic infection, aneurysm of anterior cerebral artery causing, dissecting, 25
Herniation
  cervical disc, Brown-Sequard syndrome produced by, 359-cd
  thoracic disc, surgical treatment of, 517
HIV infection, and neurocysticercosis, 57-cd
HMOs, and Medicare, 504-le
Hungary, neurosurgery in, 84
Hydatidosis, cerebral alveolar, 575-cd
Hydrocephalus, and macrocrania, and surgical or non-surgical treatment of postshunting subdural hematoma, 376
Hypoglossal neurinoma, extending intra- and extracranially, 172-cd
Hypopituitarism, tuberculoma of hypothalamic region as rare cause of, 347-cd
Hypothalamic region, tuberculoma of, as rare cause of hypopituitarism, 347-cd

I

Immunohistology, of central neurocytoma, 49
Indirect revascularization, for Moyamoya disease, 541
Infants and children
  dermoid cyst within upper thoracic meningocele in, 287
  extracerebral cavernous angiomas of cavernous sinus in middle fossa in, 123
  giant posterior cerebral artery aneurysm, in 4-year-old child, 31-cd
  meningioma in, report of nine cases, and review of literature, 328-cd
  Moyamoya disease in
    indirect revascularization for, 541
    omental transplantation for, 550
Infection
  hemorrhagic, aneurysm of anterior cerebral artery causing, dissecting, 25
  HIV, and neurocysticercosis, 57-cd
Intermittent claudication, for sacral nerve root cyst, in 85-year-old woman, 283-cr
Internal auditory canal, suboccipital approach to, MR imaging of CSF rhinorrhea following, 336-cd
Internal carotid artery aneurysms, bilateral, false localization of rupture, by CT, 435
Internal shunts, to subdural compartment, for arachnoid cysts, in adults, 15
Intracranial adenoid cystic carcinoma, 265-cr
Intracranial aneurysm surgery, evaluation of outcome after, using neuropsychiatric approach, 422
Intracranial extension, of paranasal sinus muscle, 44-cd
Intracranial vertebral artery, traumatic laceration of, causing fatal subarachnoid hemorrhage, 566-cd
Intradural perimedullary arteriovenous fistula, giant spinal, 524-cd
Intramedullary epidermoid cyst, in brain stem, 537-cd
Intraparenchymal cerebral pressure monitor, fiberoptic, 278
Intrasellar abcess, following transsphenoidal surgery, 183-cd
Intraventricular meningioma, microsurgical removal of, with ultrasound guidance, and balloon dilation of operative corridors, 155-cd

K

Kirwan® "non-stick" bipolar forceps, 297
Klippel-Trenaunay syndrome, simultaneous occurrence of aneurysm and multiple meningioma in, 241-cd

L

Laceration, traumatic, of intracranial vertebral artery, causing fatal subarachnoid hemorrhage, 566-cd
Larson's lateral extracavitary approach, reappraisal of, 517
Letters to the editor, *See* Reader's comments
Lhermitte-Duclos disease, with associated enlarged vessel and syrinx, preoperative MRI diagnosis of, 470-cd
Literature review
  of Brown-Sequard syndrome produced by cervical disc herniation, 359-cd
  of dural arteriovenous fistulas of superior sagittal sinus, 250-cd
  of intracranial adenoid cystic carcinoma, 265
  of meningioma in children, and report of nine cases, 328-cd
Localization, false, of rupture, by CT, 435
Luyendijk, Willem (1917–1995), 203
Lymphoma, malignant spinal, appearing after radiation and chemotherapy of pineal region tumor, 167-cd

M

Macrocrania, and hydrocephalus, and surgical or non-surgical treatment of postshunting subdural hematoma, 376
Magnetic field exposure, static, neurochemical effects of, 62

Magnetic resonance imaging
cine-mode, of thoracic intradural arachnoid cyst, 533-cd
of CSF rhinorrhea following suboccipital approach to cerebellopontine angle and internal auditory canal, 336-cd
of human brain function, 385
of Lhermitte-Duclos disease, 470-cd
of spinal cord radiation necrosis simulating recurrent cervical cord astrocytoma and syringomyelia, 362-cd
Magnetoencephalographic features, in neurocysticercosis, 176
Master gene, first found, 68
Medicare, and HMOs, 504-le
Meningioma
in children, report of nine cases, and review of literature, 328-cd
fed by ophthalmic brancharteries, preoperative embolization of, 161
intraventricular, microsurgical removal of, with ultrasound guidance, and balloon dilation of operative corridors, 155-cd
multiple, simultaneous occurrence of with aneurysm, in Klippel-Trenaunay syndrome, 241-cd
sheath, 147
suprasellar, and blindness, 320
Meningocele, upper thoracic, dermoid cyst within, 287
Microprolactinomas, 10 to 20 years of follow-up after transphenoidal adenomectomy, 341
Microsurgical removal, of intraventricular meningioma, with ultrasound guidance, and balloon dilation of operative corridors, 155-cd
Microsurgical treatment, open, of giant aneurysms of anterior circle of Willis, 409
Middle cerebral artery aneurysms, approaches to, 591-le
Middle fossa
arachnoid cyst, new surgical treatment of, 189
cavernous sinus in, extracerebral cavernous angiomas of, 123
Minimally invasive neurosurgery, 507-br
Morphology, of cerebral vasospasm, resembling delayed and prolonged arterial constriction, 442
Moyamoya disease
associated with persistent primitive trigeminal artery variant, in identical twins, 236-cd
indirect revascularization for, 541
Mucocele, paranasal sinus, intracranial extension of, 44-cd

N

Near-infrared monitoring, of cerebral oxygenation state, during carotid endarterectomy, 458
Necrosis, radiation, spinal cord, simulating recurrent cervical cord astrocytoma and syringomyelia, 362-cd
Neurinoma, 147
hypoglossal, extending intra- and extracranially, 172-cd
Neuroanatomy, high-yield, 196-rc
Neurochemical effects, of static magnetic field exposure, 62
Neurocysticercosis
and HIV infection, 57-cd
magnetoencephalographic features in, 176
Neurocytoma, central, findings of human neuroglial progenitor tumor, 49
Neuroglial progenitor tumor, human, central neurocytoma as, 49
Neuroimaging studies, of postobliteration nidus changes, in gamma knife-treated arteriovenous malformations, 110
Neuropsychiatric approach, in evaluation of outcome after intracranial aneurysm surgery, 422
Neurosurgeons
AIDS, ethics, and, 299-ed
is there a disease affecting neurosurgeons worldwide?, 91-ed
overproduction of, jeopardizes future neurosurgical care, 314
personal appearance of, 490-rc
physician's role in curing social ills, 497-ed
testifying in court matters, 492-ed
too many?, 102-ed, 200-ed
young, advice to, 67-rc, 582-rc
Neurosurgery
future care, overproduction of neurosurgeons jeopardizes, 314
Hungarian, past and present state, 84
minimally invasive, 507-br
operative neurosurgical techniques, 593-br
perspectives on a neurosurgical practice, 301-ed
philosophy of, 93-br
Nidus changes, postobliteration, in gamma knife-treated arteriovenous malformations, neuroimaging studies of, 110

O

Oculomotor palsy, aneurysm-induced, early surgery improves cure of, 430
Omentum
first international congress of, in CNS, 87
transplantation, using superficial temporal artery, previously used for encephaloduroarteriosynangiosis, 550
Open microsurgical treatment, of giant aneurysms of anterior circle of Willis, management outcome, 409
Ophthalmic branch arteries, preoperative embolization of meningiomas fed by, 161
Optic nerve glioma, 147
Orbital cavity, primary benign tumors of, 147
Overproduction, of neurosurgeons, jeopardizes future neurosurgical care, 314
Oxygenation, cerebral, *See* Cerebral oxygenation

P

Pancreas, modern biomedical ethics and, 305-br
Paranasal sinus mucocele, intracranial extension of, 44-cd
Parkinson's disease, gene therapy for one step closer to, 211
Perimedullary arteriovenous fistula, giant spinal intradural, 524-cd
Pharmacology, of cerebral vasospasm, resembling delayed and prolonged arterial constriction, 442

Pineal region tumor, radiation and chemotherapy of, spinal malignant lymphoma appearing after, 167-cd
Pituitary
abcess, unusual presentation of, 351-cd
mass, sphenoid sinus aspergillosis presenting as, 354-cd
Polyposis coli, in Gardner's and Turcot syndromes, 213
Posterior cerebral artery aneurysm, giant, in 4-year-old child, 31-cd
Postobliteration nidus changes, in gamma knife-treated arteriovenous malformations, neuroimaging studies of, 110
Postshunting subdural hematoma, surgical or non-surgical treatment of, 376
Pregnancy, rapid recurrence of craniopharyngioma during, with recovery of vision, 324-cd
Preoperative embolization, of meningiomas fed by ophthalmic branch arteries, 161
Primary benign tumors, of orbital cavity, 147
Progenitor tumor, human neuroglial, central neurocytoma as, 49
Prognosis, very poor, in cases with extravasation of contrast medium, during angiography, 560
Pseudocyst, CSF, after anterior stabilization, for cervical spine injury, 293-cr
Pterional craniotomy, cosmetic reconstruction of temporal defect following, 383

Q

Quadrigeminal arachnoid cyst, fluctuating hemiparesis caused by, 193-cd

R

Radiation
necrosis, spinal cord, simulating recurrent cervical cord astrocytoma and syringomyelia, 362-cd
and chemotherapy, of pineal region tumor, spinal malignant lymphoma appearing after, 167-cd
Radiosurgery
advances in, 94-br
gamma knife, cerebral AVMs treated by, neuroimaging studies of postobliteration nidus changes in, 110
Reader's comments, 302, 406, 407, 408, 504, 591
Reconstruction, cosmetic, of temporal defect, following pterional craniotomy, 383
Recovery, of vison, in craniopharyngioma, during pregnancy, 324-cd
Recurrence
cervical cord astrocytoma, and syringomyelia, MRI of spinal cord radiation necrosis simulating, 362
rapid, of craniopharyngioma, during pregnancy, 324-cd
Reexpansion, brain, and relationship between brain surface elastance, after evacuation of chronic subdural hematoma, 570
Resident's corner
Advice to young neurosurgeons, 67, 582
High-yield neuroanatomy, 196
Is how you look important?, 490
The neurobiological basis of fever, 392
Are steroids useful in the treatment of head-injured patients?, 296
Retirement, 497, 583, 584
Revascularization, indirect, for Moyamoya disease, 541
Rhinorrhea, cerebrospinal fluid, following suboccipital approach, 336-cd
Rupture, false localization of, by CT, in bilateral internal carotid artery aneurysms, 435

S

Sacral nerve root cyst, surgical treatment of, with intermittent claudication, in 85-year-old patient, 283-cr
Saphenous vein graft, contralateral external carotid-to-external carotid artery (half-collar), for common carotid artery occlusion, 138
Saudi Arabia, unique experience in, suprasellar meningioma and blindness, 320
Septated chronic subdural hematoma, endoscopic treatment of, 272
Sheath meningioma, 147
Shunts
internal, to subdural compartment, for arachnoid cysts, in adults, 15
postshunting subdural hematoma, surgical or non-surgical treatment of, 376
syringo-subarachnoid, rapid enlargement of syringomyelia cavity following, 366-cd
Sinuses
cavernous, giant aneurysm in, causing subarachnoid hemorrhage, 13 years after detection, 143-cr
paranasal, mucocele, intracranial extension of, 44-cd
sphenoid, aspergillosis in, presentation and imaging of, 354-cd
superior sagittal, dural arteriovenous fistulas of, 250
Sphenoid sinus aspergillosis, presentation as pituitary mass, and postoperative gallium-67 imaging, 354-cd
Spine
cervical, injury to, anterior stabilization for, CSF pseudocyst after, 293-cd
fusion and stabilization, techniques in, 304-br
giant intradural perimedullary fistula, 524-cd
injury, contemporary management of, 401-br
malignant lymphoma, appearing after radiation and chemotherapy of pineal region tumor, 167-cd
radiation necrosis, simulating recurrent cervical cord astrocytoma and syringomyelia, 362-cd
Stabilization, spinal, techniques in, 304-br
Static magnetic field exposure, neurochemical effects of, 62
Steroids, usefulness of in treatment of head injury, 296-rc
Subarachnoid hemorrhage, shrinkage, then disappearance, of cerebral aneurysm thrombosis after, 133-cd
Subdural compartment, internal shunts to, for arachnoid cysts, in adults, 15
Subdural hematoma
chronic, relationship between brain surface elastance and brain reexpansion, after evacuation of, 570
postshunting, surgical or non-surgical treatment of, 376
septated chronic, endoscopic treatment of, 272
Suboccipital approach, to cerebellopontine angle and internal auditory canal, following MR imaging of CSF rhinorrhea, 336-cd

Sugita aneurysm clip sterilizing tray, 448
Superficial temporal artery, previously used for encephaloduroarteriosynangiosis, omental transplantation using, 550
Superior sagittal sinus, dural arteriovenous fistulas of, 250-cd
Suprasellar meningioma, and blindness, in Saudi Arabia, 320
Surface elastance, brain, and relationship between brain reexpansion, after evacuation of chronic subdural hematoma, 570
Surgery, *See also* specific procedure
  early, improves cure of aneurysm-induced oculomotor palsy, 430
  for intracranial aneurysm, neuropsychiatric approach in evaluation of outcome after, 422
  for thoracic disc herniation, 517
  macrocrania, and hydrocephalus, and surgical or non-surgical treatment of postshunting subdural hematoma, 376
  Oxford textbook of, 402-br
  transsphenoidal, intrasellar abcess following, 183-cd
Syringo-subarachnoid shunt, rapid enlargement of syringomyelia cavity following, 366-cd
Syringomyelia
  cavity, rapid enlargement of, following syringo-subarachnoid shunt, 366-cd
  MRI of spinal cord radiation necrosis simulating, 362-cd
Syrinx, in Lhermitte-Duclos disease, preoperative MRI diagnosis of, 470-cd

T

Talc injection, cisternal, can induce delayed and prolonged arterial constriction, resembling cerebral vasospasm, 442
Temporal artery, superficial, previously used for encephaloduroarteriosynangiosis, omental transplantation using, 550
Temporal defect, cosmetic reconstruction of, following pterional craniotomy, 383
Thoracic disc, hernation, surgical treatment of, 517
Thoracic intradural arachnoid cyst, cine-mode MRI imaging of, 533-cd
Thrombosis, cerebral aneurysm, after subarachnoid hemorrhage, 133-cd
Tic douloureux, dural arteriovenous malformation manifesting as, 370-cd
Tirilazad, does not protect rat brain, from brachytherapy-induced injury, 482
Tongue atrophy, unilateral, due to enlarged emissary vein, in hypoglossal canal, 477-cd
Transcallosal microsurgery, for third ventricular colloid cysts, in defined population, 2
Transplantation, omental, using superficial temporal artery, previously used for encephaloduroarteriosynangiosis, 550
Transsphenoidal adenomectomy, for microprolactinomas, 10 to 20 years of follow-up, 341
Transsphenoidal surgery, intrasellar abcess following, 183-cd
Traumatic laceration, of intracranial vertebral artery, causing fatal subarachnoid hemorrhage, 566-cd
Trigeminal artery variant, persistent primitive, Moyamoya disease associated with, in identical twins, 236-cd
Trigeminal neuralgia, management of, 405-ed, 406-le, 407-le, 408-le
Triple primary malignant neoplasms, including malignant brain tumor, 219-cd
Tuberculoma, of hypothalamic region, as rare case of hypopituitarism, 347-cd
Tumors, *See* specific body area; specific type of tumor
Turcot syndrome, concomitant occurrence of with Gardner's syndrome, 213
Twins, identical, Moyamoya disease in, persistent primitive trigeminal variant, 236-cd

U

Ultrasound guidance, microsurgical removal of intraventricular meningioma with, and balloon dilation of operative corridors, 155-cd
Unilateral tongue atrophy, due to enlarged emissary vein, in hypoglossal canal, 477-cd
Upper thoracic meningocele, dermoid cyst within, 287

V

Vasospasm, cerebral, *See* Cerebral vasospasm
Vein, emissary, enlarged, in hypoglossal canal, unilateral tongue atrophy due to, 477-cd
Vein of Galen, aneurysmal malformation, in adult, 39-cd
Ventricular colloid cysts, in defined population, management outcome in, 2
Ventricular drainage, CSF pseudocyst treated by, after anterior stabilization for cervical spine injury, 293-cr
Ventriculolumbar perfusion chemotherapy, with methotrexate and cytosine arabinoside, for meningeal carcinomatosis, 256
Vertebral artery, intracranial, traumatic laceration of, causing fatal subarachnoid hemorrhage, 566-cd
Vision, recovery of, in craniopharyngioma, during pregnancy, 324-cd

W

Walker, A. Earl, 1907–1995, 82

br = book review; ed = editorial; en = editor's note; le = letter or reader's comment; com = commentary; cd = case description; cr = case report; rc = resident's corner.